

MaVi-S Light Source

High Intensity Xenon Strobe Light Source for Stop Motion Imaging.




MaVi-S Light Source


Product and Performance Characteristics

- Coupled with ColdVision light guides, the MaVi-S emits brief and intense light pulses that result in bright, clear and high-contrast images
- High speed applications, short flash times are required as well as adjustable delays to capture the required images and information
- Applications include wafer inspection, bottle inspection, matrix code reading, and diamond quality control
- CE Approved, ROHS compliant

IR Spectrum MaVi-S (without Filter)




Spectrum MaVi-S (without Filter)



Specifications

Technical Data	
Lamp type	Xenon Flashlamp
Maximum energy	Up to 2.16 J
Frequency range	1 Hz - 200 Hz
Flash duration	Approx. 6 µs
Pulse to pulse stability	2.5% from flash to flash with no loss of flashes
Electronic data	
Intensity regulation	Via control panel computer (RS 232) or analog input
Computer interface	Control of up to 9 MaVi-S light sources
Burst function	Generation of several flashes by one trigger pulse
Power supply	100 V - 260 V, 50 Jz - 60 Hz
Power consumption	75 Watt
Fuses	1.6 A (slow blow)
Protection class	1 (protective grounding)
Electrical safety	IEC/EN 61010 and IEC/EN 61000
Ambient Conditions	
Operating temperature	0°C to 43°C
Storage temperature	- 40°C to 90°C
Relative humidity	Max. 80 %, non condensing
Housing	
Outer dimensions	110 mm x 200 mm x 180 mm
Weight	2 kg

RS232 Interface





Polytec France S.A.S.
Technosud II Bâtiment A
99 Rue Pierre Semard
92320 Châtillon
Tel. +33 1 49 65 69 00
info@polytec.fr

Contacts : PHOTONICS/VISION
Elvis DZAMASTAGIC
Tel. +33 1 49 65 69 07
e.dzamastagic@polytec.fr

Christophe COURTOIS
Tel. +33 1 49 65 69 03
c.courtois@polytec.fr



**Polytec GmbH
(Germany)**
Polytec-Platz 1-7
76337 Waldbronn
Tel. +49 7243 604-0
info@polytec.de

**Polytec GmbH
(Germany)**
Vertriebs- und
Beratungsbüro
Schwarzschildstraße 1
12489 Berlin
Tel. +49 30 6392-5140



**Polytec, Inc.
(USA)**
North American
Headquarters
16400 Bake Parkway
Suites 150 & 200
Irvine, CA 92618
Tel. +1 949 943-3033
info@polytec.com

Central Office
1046 Baker Road
Dexter, MI 48130
Tel. +1 734 253-9428

East Coast Office
25 South Street, Suite A
Hopkinton, MA 01748
Tel. +1 508 417-1040



Polytec Japan
Arena Tower, 13th floor
3-1-9, Shinyokohama
Kohoku-ku, Yokohama-shi
Kanagawa 222-0033
Tel. +81 45 478-6980
info@polytec.co.jp



**Polytec Ltd.
(Great Britain)**
Lambda House
Batford Mill
Harpenden, Herts AL5 5BZ
Tel. +44 1582 711670
info@polytec-ltd.co.uk



Polytec China Ltd.
Room 1026, Hanwei Plaza
No. 7 Guanghua Road
Chaoyang District
100004 Beijing
Tel. +86 10 65682591
info-cn@polytec.com



**Polytec South-East Asia
Pte Ltd**
Blok 4010 Ang Mo Kio
Ave 10
#06-06 TechPlace 1
Singapore 569626
Tel. +65 64510886
info@polytec-sea.com