

SCHOTT® Wound Fiber Bundles

Ruggedized Flexible Imaging Applications



Performance Characteristics

Wound Fiber Bundles are coherent, flexible fiber optic bundles used in applications where images must be transferred from remote locations over a long length. These bundles are used in a wide range of markets, including industrial remote vision systems, ordered array detectors, hazardous environment imaging, medical, research and defense.

Bundles can be provided with non-metallic hardware and/or be non-magnetic.

Their numerical aperture is typically 0.63 standard lengths range from 610 mm to 4500 mm.

SCHOTT can also produce custom image guide assemblies in vertical or horizontal formats required to meet non-standard imaging applications.


Bundles come with standard "C" mount adaptors on each end.



Typical Bundle Specifications

Quality Area:	1.8 x 1.8 mm ² – 38 x 33 mm ² with custom capabilities
Format Size:	2 mm x 2 mm up to 40 mm x 35 mm
Single Fiber Size:	60 x 60 μm, 10 μm elements, 6 x 6 array
Numerical Aperture:	0.63
Resolution*:	Approx 45 lp/mm
Transmission:	40% @ 500 nm – 1200 nm
Bending Radius:	Determined by bundle diameter and sheathing
Temperature Resistance:	-40 °C to +125 °C (-40 °F to +257 °F)
Chemical Resistance:	Select sheathing resistant against oil, grease, bases acid, fuel, water and PVC
Color of cable:	Black (Other sheathings upon request)
Weight of cable:	Determined by bundle diameter and sheathing
<ul style="list-style-type: none">• Resolution Measurement performed with an 1951 USAF Resolution Target using diffuse white light illumination. Resolution may vary with other wavelengths.• We can also supply objectives and relay lenses.	

Standard Wound Image Guide Lens Configurations



Available Lenses



10 X Eyepiece



SCHOTT
IG-1660 1:1
Relay Lens



IG-1643 1.5:1
Relay Lens



IG-1650 1:1
Relay Lens



MORITEX- SCHOTT
Mega Pixel CCTV Lenses ML-MP
Series.





Polytec France S.A.S.
 Technosud II Bâtiment A
 99 Rue Pierre Semard
 92320 Châtillon
 Tel. +33 1 49 65 69 00
 info@polytec.fr

Contacts : PHOTONICS/VISION

Christophe COURTOIS
 Tel. +33 1 49 65 69 03

c.courtois@polytec.fr



**Polytec GmbH
 (Germany)**
 Polytec-Platz 1-7
 76337 Waldbronn
 Tel. +49 7243 604-0
 info@polytec.de

**Polytec GmbH
 (Germany)**
 Vertriebs- und
 Beratungsbüro
 Schwarzschildstraße 1
 12489 Berlin
 Tel. +49 30 6392-5140



**Polytec, Inc.
 (USA)**
 North American
 Headquarters
 16400 Bake Parkway
 Suites 150 & 200
 Irvine, CA 92618
 Tel. +1 949 943-3033
 info@polytec.com

Central Office
 1046 Baker Road
 Dexter, MI 48130
 Tel. +1 734 253-9428

East Coast Office
 25 South Street, Suite A
 Hopkinton, MA 01748
 Tel. +1 508 417-1040



Polytec Japan
 Arena Tower, 13th floor
 3-1-9, Shinyokohama
 Kohoku-ku, Yokohama-shi
 Kanagawa 222-0033
 Tel. +81 45 478-6980
 info@polytec.co.jp



**Polytec Ltd.
 (Great Britain)**
 Lambda House
 Batford Mill
 Harpenden, Herts AL5 5BZ
 Tel. +44 1582 711670
 info@polytec-ltd.co.uk



Polytec China Ltd.
 Room 1026, Hanwei Plaza
 No. 7 Guanghua Road
 Chaoyang District
 100004 Beijing
 Tel. +86 10 65682591
 info-cn@polytec.com



**Polytec South-East Asia
 Pte Ltd**
 Blk 4010 Ang Mo Kio
 Ave 10
 #06-06 TechPlace 1
 Singapore 569626
 Tel. +65 64510886
 info@polytec-sea.com