





MICRON3D green stereo
3D scanner for industry and quality control
Product Brochure



MICRON3D green stereo is the most accurate 3D scanner from the SMARTTECH offer aimed at industrial applications. The product fits perfectly the needs of modern enterprises that value technological solutions within the framework of the industry 4.0 ideology. Due to its metrological verification and high parameters, the system will be a perfect tool for quality control and reverse engineering.

This model uses green LED light with a wavelength of 500 nm for measurement, which guarantees a fail proof system. Use of narrowband filters eliminates the influence of external lighting. High-class monochromatic detectors, responsible for stereoscopic measurement, eliminate measurement noise, and dual directional projection of fringes guarantees higher precision in the digital description of sharp edges of measured objects.

Micron3D green stereo features:


- Stereoscopic measurement with two detectors used
- New measurement method Dual Direction Stripes (DDS)
- Housing and Construction made of heat-resistant carbon fibers
- Higher measurement accuracy and prolonged system lifespan due to green LED light
- Improved surface and edge reconstruction
- Precise quality control scan to CAD comparison




The accuracy of 17 micrometers and the durability of the MICRON3D green stereo scanners have been confirmed by field tests conducted by SMARTTECH experts and independent units. The scanner has been designed to provide users with reliable operation while maintaining full mobility. Its housing and load-bearing structure consist of modern and temperature-resistant carbon fiber.

Special construction solutions dampen outside vibrations, and an exchangeable dustproof filter protects the interior of the device. Those features make the MICRON3D green stereo reliable scanner fit both for laboratory and production line usage.






MICRON3D green stereo 20-20 MP is the top-notch model. It is characterized by the highest measurement resolution (20MP) on the market, which allows the recreation of the smallest details of the scanned object, even when their dimensions do not exceed 1mm. The high resolution of the new 3D scanner allows to increase the efficiency of scanning larger objects with a high degree of complexity and fully automate the scanning process. One scan with a field of 420mmx300mm made with this scanner corresponds to a resolution of 4 scans using a 5 MP scanner with an area of 150mm × 105mm. This makes it possible to carry out detailed quality control of both large and small parts without hardware modifications, what further optimize the time of the scanning process for parts of different sizes.



Triangle mesh from a 3D scanner with a resolution of 5 MP (Field of view 480x350 mm)



Triangle mesh from a 3D scanner with a resolution of 20 MP (Field of view 480x350 mm)

MICRON3D green stereo scanners work with a dedicated software - SMARTTECH3Dmeasure, featuring functions for control and automatization of scanning process, advanced data edition, and quality control.


The software connected with the scanner allows the user to immediately start a comprehensive process of digitizing the measured objects. SMARTTECH3Dmeasure guides him through scanning and data processing up to a closed model ready for 3D printing or final control report in PDF format. Thanks to unique data management algorithms, our software ensures smooth work with massive clouds of points (over 300 million) on standard laptops. The built-in function of adjusting the projection intensity and other measurement parameters make it possible to scan objects with a dark or glossy surface.




A part for Quality Control



3D scanning




Quality Control in the SMARTTECH3Dmeasure program



Color deviation map displayed on the object

Measure, control, and present directly on the object

Following our philosophy of providing comprehensive measurement solutions, the software has been equipped with the main tools necessary for quality control. SMARTTECH3Dmeasure software enables the user to perform segment and point-to-point measurements, calculate the surface area and volume of the scanned object and generate a color map of deviations relating to the reference model. An additional advantage of the system is the ability to project a color deviation map directly on a real object to visualize them for inspection and repair purposes.








MICRON3D green stereo is a professional, factory-calibrated metrology tool, certified by the manufacturer according to the German VDI / VDE 2634 standard, and its measurement accuracy can be additionally confirmed by a certificate of an independent accredited metrology laboratory.

Optical 3D coordinate measuring machine









Technical Specifications

Resolution	5-5 MP		
Scanning Technology	Structural green LED light		
Measuring field [mm2]	150x105/220x180	260x165/300x200	420x300/480x350
Measuring depth [mm]	50	120	200
Distance between pts [mm]	0,061/0,090	0,106/0,123	0,172/0,196
Sampling [pts/mm2]	266/124	89/67	34/26
Accuracy [µm]	17	22	33

Resolution	12-12 MP			
Scanning Technology	Structural green LED light			
Measuring field [mm2]	150x105/220x180	260x165/300x200	420x300/480x350	
Measuring depth [mm]	50	120	200	
Distance between pts [mm]	0,038/0,055	0,065/0,075	0,105/0,120	
Sampling [pts/mm2]	711/331	237/178	91/69	
Accuracy [µm]	17	22	33	

Resolution	20-20 MP		
Scanning Technology	Structural green LED light		
Measuring field [mm2]	150x105/220x180	260x165/300x200	420x300/480x350
Measuring depth [mm]	50	120	200
Distance between pts [mm]	0,027/0,040	0,047/0,054	0,076/0,087
Sampling [pts/mm2]	1362/633	453/341	174/133
Accuracy [µm]	17	22	33

Additional Accessories



Custom integration with robotic arm



Automatic Rotary Stage:

- Max load 15kg, diameter 200mm
- Max load 60kg, diameter 500mm
- Max load 300kg, diameter 500mm



Easy and quick volume exchangeability



Waterproof transport case



Shapping the future since 1967

Hightech for research and industry Pioneers. Innovators. Perfectionnists.

Polytec France

Technosud II Bâtiment A, 99 rue Pierre Semard 92320 CHATILLON Tel. +33 1 49 65 69 00, Fax. +33 1 57 19 59 60, info@polytec.fr

Contactez-nous pour un essai ou pour un devis



www.polytec.fr www.polytecstore.fr

